

TABL. 7 /12/. **JAKOŚĆ WODY DOSTARCZANEJ LUDNOŚCI DO SPOŻYCIA  
Z WODOCIĄGÓW I STUDNI W 2006 R.**  
**QUALITY OF WATER SUPPLIED TO THE POPULATION FOR CONSUMPTION  
FOR CONSUMPTION FROM WATERWORKS AND WELLS IN 2006**

WYSZCZEGÓLNIENIE	Ludność <sup>a</sup> – w % ludności korzystającej z urządzeń – zaopatrywana w wodę <i>Population<sup>a</sup> – in % of population using facilities – supplied with water</i>				SPECIFICATION
	odpowiadającą wyma- ganiom <i>meeting requirements</i>		nieodpowiadającą wyma- ganiom <i>non meeting requirements</i>		
	miasta <i>urban areas</i>	wieś <i>rural areas</i>	miasta <i>urban areas</i>	wieś <i>rural areas</i>	
Wodociągi o wydajności w m <sup>3</sup> /d:					<i>Waterworks with a capacity of m<sup>3</sup>/24h:</i>
poniżej 100 .....	100,0	84,6	–	15,4	<i>below 100</i>
100 – 1000 .....	77,5	87,7	22,5	12,3	<i>100 – 1000</i>
1001 – 10000 .....	95,0	95,7	5,0	4,3	<i>1001 – 10000</i>
10001 – 100000 .....	100,0	100,0 <sup>b</sup>	–	–	<i>10001 – 100000</i>
powyżej 100000 .....	–	–	–	–	<i>over 100000</i>
Studnie publiczne <sup>c</sup> .....	–	–	–	–	<i>Wells public<sup>c</sup></i>

a Według szacunków. b Dotyczy ludności wsi zaopatrywanej w wody z wodociągów zlokalizowanych na terenie miast. c Zakładowe i przydomowe, z tym że nadzorowi podlegają tylko studnie, z których korzystają gospodarstwa agroturystyczne i sezonowe obiekty wypoczynkowe znajdujące się w pobliżu potencjalnych źródeł zanieczyszczeń wody na terenach objętych powodzią, na które wpływają skargi mieszkańców.

Źródło: dane Ministerstwa Zdrowia.

a Estimated data. b Data concern rural population supplied with water from water-line system situated in urban areas c Plant and attached to households; wells used by farm accommodation for tourists and seasonal tourists accommodation establishments situated near potential source of water pollution in flood prone area about which complains are being made only, are the subject of monitoring.

Source: data of the Ministry of Health.